

## Cabinet Accessories



## Description

HCS DataLine series includes a wide range of high quality racks, cabinets and enclosures, specially designed for structured premise cabling in local area networks (LANs), including distribution and equipment, cross connect cabinets and racks, splice boxes, climate control and many more components for both copper and fiber optic cabling systems.



HCS DataLine Cabinets Accessories are compatible with all HCS DataLine Cabinets, providing an extensive range of accessories making HCS DataLine Cabinets extremely versatile, user-friendly and efficient.

All HCS DataLine accessories have an attractive design combined with a long-lasting, solid & stable construction, guaranteed by the HCS DataLine Logo & Trademark.

## Applications

The large variety of HCS DataLine Cabinets Accessories enables using HCS DataLine Cabinets for endless LAN and telephone applications, including copper and fiber optic cabling systems.

## Shelves




Ordering Information				Availability			
HCS P/N	Description	Loading Capacity	Colour	SOHO Wall Mount	Wall Mount	Free Standing	Server
C00-01A12	19" ,1/2U D=200mm Fixed Shelf, Vented,Front 2 Fixing Points	15 Kg max.	Grey	All	All	All	All
C00-01A13	19" 1U D=200mm Fixed Shelf, Vented,Front 4 Fixing Points	15 Kg max.	Grey	All	All	All	All
C00-01A01	19" 1U D=250mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Grey	D400	All	All	All
C00-01A14	19" 1U D=250mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Black	D400	All	All	All
C00-01A02	19" 1U D=350mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Grey	NA	D450 D560	All	All
C00-01A15	19" 1U D=350mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Black	NA	D450 D560	All	All
C00-01A24	19" 1U D=450mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Grey	NA	D560	All	All
C00-01A03	19" 1U D=450mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Black	NA	D560	All	All
C00-01A04	19" 1U D=550mm Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Black	NA	NA	All	All
C00-01A06	19" 2U D=350mm Fixed Shelf, Vented,Front 4 Fixing Points	35 Kg max.	Grey	NA	D450 D560	All	All
C00-01A16	19" 2U D=350mm Fixed Shelf, Vented,Front 4 Fixing Points	35 Kg max.	Black	NA	D450 D560	All	All
C00-01A07	19" 2U D=450mm Fixed Shelf, Vented,Front 4 Fixing Points	30 Kg max.	Black	NA	D560	All	All
C00-01A08	19" 2U D=550mm Fixed Shelf, Vented,Front 4 Fixing Points	25 Kg max.	Black	NA	NA	All	All
C00-01A19	19" 1U D=350mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	30 Kg max.	Grey	NA	D450 D560	All	All
C00-01A20	19" 1U D=450mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	25 Kg max.	Black	NA	D560	All	All
C00-01A21	19" 1U D=550mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	20 Kg max.	Black	NA	NA	All	All
C00-01A09	19" 2U D=450mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	50 Kg max.	Black	NA	D560	All	All
C00-01A10	19" 2U D=550mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	45 Kg max.	Black	NA	NA	All	All
C00-01A11	19" 2U D=650mm Adjustable Fixed Shelf, Vented,Front 4 Fixing Points	40 Kg max.	Black	NA	NA	D800, D1000	All
C00-01B02	19" 1/2U Fixed Shelf For Cabinets D600mm, Vented,Front/Rear 4 Fixing Points	40 Kg max.	Black	NA	D560	D600	NA
C00-01B13	19" 1/2U Fixed Shelf For Cabinets D600mm, Vented,Front/Rear 4 Fixing Points	40 Kg max.	Grey	NA	D560	D600	NA
C00-01B03	19" 1/2U Fixed Shelf For Cabinets D800mm, Vented,Front/Rear 4 Fixing Points	30 Kg max.	Black	NA	NA	D800	NA
C00-01B04	19" 1/2U Fixed Shelf For Cabinets D1000mm, Vented,Front/Rear 4 Fixing Points	30 Kg max.	Black	NA	NA	D1000	D1000

Ordering Information				Availability			
HCS P/N	Description	Loading Capacity	Colour	SOHO Wall Mount	Wall Mount	Free Standing	Server
C00-01B06	19" ½U Fixed Shelf, For Cabinets D600mm,Vented,Front/Rear 4 Fixing Points With Support Profile	50 Kg max.	Black	NA	NA	D600	NA
C00-01B07	19" ½U Fixed Shelf, For Cabinets D800mm,Vented,Front/Rear 4 Fixing Points With Support Profile	45 Kg max.	Black	NA	NA	D800	NA
C00-01B08	19" ½U Fixed Shelf, For Cabinets D1000mm,Vented,Front/Rear 4 Fixing Points With Support Profile	40 Kg max.	Black	NA	NA	D1000	D1000
C00-01B09	19" 1U Heavy Duty Adjustable Fixed Shelf For Cabinets D600mm Vented, Front/Rear 8 Fixing Points, With Support Profile	100 Kg max.	Black	NA	NA	D600, D800	NA
C00-01B10	19" 1U Heavy Duty Adjustable Fixed Shelf For Cabinets D800mm Vented, Front/Rear 8 Fixing Points, With Support Profile	90 Kg max.	Black	NA	NA	D800, D1000	D1000
C00-01B11	19" 1U Heavy Duty Adjustable Fixed Shelf For Cabinets D1000mm Vented, Front/Rear 8 Fixing Points, With Support Profile	80 Kg max.	Black	NA	NA	D1000, D1200	D1000, D1200
C00-01C10	½U Sliding Shelf, For Cabinets D600mm , 4 Fixing Points, Vented , Rail Locked	40 Kg max.	Grey	NA	D560	D600	NA
C00-01C02	½U Sliding Shelf, For Cabinets D600mm , 4 Fixing Points, Vented , Rail Locked	40 Kg max.	Black	NA	D560	D600	NA
C00-01C03	½U Sliding Shelf, For Cabinets D800mm , 4 Fixing Points, Vented , Rail Locked	35 Kg max.	Black	NA	NA	D800	NA
C00-01C04	½U Sliding Shelf, For Cabinets D1000mm , 4 Fixing Points, Vented , Rail Locked	30 Kg max.	Black	NA	NA	D1000	D1000
C00-01C05	19" 1U Heavy Duty Adjustable Sliding Shelf For Cabinets D600mm, 8 Fixing Points, Vented , With Support Profile, Rail Locked	90 Kg max.	Black	NA	NA	D600, D800	NA
C00-01C06	19" 1U Heavy Duty Adjustable Sliding Shelf For Cabinets D800mm, 8 Fixing Points, Vented , With Support Profile, Rail Locked	80 Kg max.	Black	NA	NA	D800, D1000	D1000
C00-01C07	19" 1U Heavy Duty Adjustable Sliding Shelf For Cabinets D1000mm, 8 Fixing Points, Vented , With Support Profile, Rail Locked	70 Kg max.	Black	NA	NA	D1000, D1200	D1000, D1200
C00-01C08	1U Sliding Heavy Duty Telescopic Cable Carrying Mechanizm (750Mm Opening)	-	Black	NA	NA	D600, D800, D1000, D1200	D1000, D1200
C00-01A22	1U Shelf Back Mounting Support, Adjustable, L250mm (For 19" 1U Rack Mount Shelves, Galvanized Steel Sheet)						
C00-01A23	1U Shelf Back Mounting Support, Adjustable, L350mm (For 19" 1U Rack Mount Shelves, Galvanized Steel Sheet)						
C00-01A17	2U Shelf Back Mounting Support, Adjustable, L250mm (For 19" 2U Rack Mount Shelves, Galvanized Steel Sheet)						
C00-01A18	2U Shelf Back Mounting Support, Adjustable, L350mm (For 19" 2U Rack Mount Shelves, Galvanized Steel Sheet)						

**Drawers**

Ordering Information				Availability			
HCS P/N	Description	Depth (mm)	Loading Capacity	SOHO Wall Mount	Wall Mount	Free Standing	Server
C00-01D01	Dataline™ 1U 19", D=350mm, Keyboard Drawer With Lock,Grey	350	30	NA	D560	D600, D800, D1000, D1200	D1000, D1200
C00-01D02	Dataline™ 2U 19", D=550mm, Depth Adjustable Drawer With Lock,Black	550	40	NA	NA	D800, D1000, D1200	D1000, D1200
C00-01D03	Dataline™ 3U 19", D=550mm, Depth Adjustable Drawer With Lock,Black	550	50	NA	NA	D800, D1000, D1200	D1000, D1200


## Fan Units



### Ordering Information

HCS P/N	Description	Additional Items Included	Availability	Notes
C00-02A01	Ventilation Unit With 1-Fan 240V AC. Without Thermostat,Grey	On&off switch and circuit breaker	Wall Mount	
C00-02A02	Ventilation Unit With 1-Fan 240V AC. Without Thermostat,Grey	On&off switch and circuit breaker	Wall Mount	
C00-02B01	Ventilation Unit With 1-Fan 240V AC. With Thermostat,Grey	On&off switch and circuit breaker	Wall Mount	
C00-02B02	Ventilation Unit With 2-Fan 240V AC. With Thermostat,Grey	On&off switch and circuit breaker	Wall Mount	
C00-02B11	Ventilation Unit With 4/2-Fan 240V AC. With Thermostat,Black	On&off switch and circuit breaker	Free Standing	
C00-02B03	Ventilation Unit With 4-Fan 240V AC AND. With Thermostat,Black	On&off switch and circuit breaker	Free Standing	
C00-02B08	Ventilation Unit With 6-Fan 240V AC AND. With Thermostat,Black	On&off switch and circuit breaker	Free Standing & Server	(Depth ≥ 1000 mm)
C00-02B12	Ventilation Unit With 6/2-Fan 240V AC AND.with Thermostat,Black	On&off switch and circuit breaker	Free Standing & Server	(Depth ≥ 1000 mm)
C00-02B14	Ventilation Unit With 6/4-Fan 240V AC AND. With Thermostat,Black	On&off switch and circuit breaker	Free Standing & Server	(Depth ≥ 1000 mm)
C00-02C01	Ventilation Unit With 2-Fans (240V AC) AND. With Thermostat.1U 19" Grey	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Horizontal Mounted
C00-02C02	Ventilation Unit With 4-Fans (240V AC) AND. With Thermostat.1U 19" Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Horizontal Mounted
C00-02C03	Ventilation Unit With 6-Fans (240V AC) AND. With Thermostat.1U 19" Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Horizontal Mounted
C00-02D01	Ventilation Unit With 2-Fans (240V AC) AND. With Thermostat.3U 19" .Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Vertically Mounted
C00-02D02	Ventilation Unit With 3-Fans (240V AC) AND. With Thermostat.3U 19" .Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Vertically Mounted
C00-02D03	Ventilation Unit With 2-Fans (240V AC) AND. With Thermostat.5U 19".Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Vertically Mounted
C00-02D04	Ventilation Unit With 4-Fans (240V AC) AND. With Thermostat.10U 19".Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Vertically Mounted
C00-02D05	Ventilation Unit With 6-Fans (240V AC) AND. With Thermostat.14U 19".Black	On&off switch and circuit breaker	Wall Mount&Free Standing & Server	Vertically Mounted

## Power Strips




## Ordering Information

HCS P/N	Description	Socket Type	Grounding	Additional Items Included	Notes
C00-03A01	3 Ways Power Strip	Schuko	Yes	On&off switch	
C00-03A02	6 Ways Power Strip	Schuko	Yes	On&off switch	
C00-03B01	3 Ways Power Strip, 19" mounting panel.	Schuko	Yes	On&off switch	
C00-03B02	6 Ways Power Strip, 19" mounting panel.	Schuko	Yes	On&off switch	
C00-03C01	3 Ways Power Strip, 19" Aluminum housing.	Schuko	Yes	On&off switch and 1x16A circuit breaker	
C00-03C02	4 Ways Power Strip, 19" Aluminum housing.	Schuko	Yes	On&off switch and 1x16A circuit breaker	
C00-03C03	6 Ways Power Strip, 19" Aluminum housing.	Schuko	Yes	On&off switch and 1x16A circuit breaker	
C00-03C04	8 Ways Power Strip, 19" Aluminum housing.	C13 IEC 320	Yes	On&off switch and 1x16A circuit breaker	
C00-03C05	9 Ways Power Strip, 19" Double Aluminum housing	Schuko	Yes	On&off switch and 1x20A circuit breaker	
C00-03C06	12 Ways Power Strip, 19" Double Aluminum housing	Schuko	Yes	On&off switch and 1x20A circuit breaker	
C00-03C07	15 Ways Power Strip, 19" Double Aluminum housing	Schuko	Yes	On&off switch and 1x20A circuit breaker	
C00-03C08	5 Ways Power Strip, 19" Aluminum housing.	UK	Yes	On&off switch and 1x16A circuit breaker	
C00-03C09	9 Ways Power Strip, 19" Double Aluminum housing	UK	Yes	On&off switch and 1x16A circuit breaker	
C00-03D01	9 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	Schuko	Yes	On&off switch and 1x20A circuit breaker	
C00-03D02	12 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	Schuko	Yes	On&off switch and 1x20A circuit breaker	
C00-03D03	18 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	Schuko	Yes	On&off switch and 3x16A circuit breaker	
C00-03D04	24 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	Schuko	Yes	On&off switch and 3x16A circuit breaker	
C00-03E01	3 Ways Power Strip, 19" Aluminum housing.	UPS	Yes	On&off switch and 1x16A circuit breaker	
C00-03E02	4 Ways Power Strip, 19" Aluminum housing.	UPS	Yes	On&off switch and 1x16A circuit breaker	
C00-03E03	6 Ways Power Strip, 19" Aluminum housing.	UPS	Yes	On&off switch and 1x16A circuit breaker	
C00-03F01	9 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	UPS	Yes	On&off switch and 1x20A circuit breaker	
C00-03F02	12 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	UPS	Yes	On&off switch and 1x20A circuit breaker	
C00-03F03	18 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	UPS	Yes	On&off switch and 3x16A circuit breaker	
C00-03F04	24 Ways Power Strip, 19" Aluminum housing, Vertically Mounted.	UPS	Yes	On&off switch and 3x16A circuit breaker	




## Castors &amp; Levelling Feet and Accessories



## Ordering Information

HCS P/N	Description	Quantity	Maks.Load Capacity (kg/pcs)	Suitable Cabinet Type	Notlar
C00-04A01	Set of 4 x Castor group - 2 with breaking system.	4	25	Wall Mount	-
C00-04B01	Set of 4 x Castor group - 2 with breaking system.	4	60	Wall Mount	-
C00-04B02	Set of 4 x Castor group - 2 with breaking system.	4	150	Free Standing	-
C00-04B03	Set of 4 x Castor group - 2 with breaking system.	4	250	Free Standing & Server	-
C00-04D01	Set of 4 x M6 adjustable levelling feet	4	-	Wall Mount	-
C00-04E01	Set of 4 x M8 adjustable levelling feet.	4	-	Free Standing	-
C00-04F01	Set of 4 x M10 adjustable levelling feet, PVC based.	4	-	Server	-
C00-04F03	Set of 2 adjustable stabilizer set for server cabinets (2 pcs)	2	-	Server	-


## Screws &amp; Mounting Accessories



## Ordering Information

HCS P/N	Description	Quantity	Additional Items Included	Notes
C00-05A01	M6 set (cage & nut & washer)	4	-	-
C00-05A02	M6 set (cage & nut & washer)	20	-	-
C00-05A03	M6 set (cage & nut & washer)	50	-	-
C00-05B01	M6x65 mm Sleeve Anchor Wall Mounting Set	4	-	Wall Mount Cabinets
C00-05B02	M8x65 mm Sleeve Anchor Wall Mounting Set	4	-	Wall Mount Cabinets
C00-05C01	M6x65 mm Pipe Type Anchor Wall Mounting Kit	4	-	Wall Mount Cabinets
C00-05C02	M8x65 mm Pipe Type Anchor Wall Mounting Kit	4	-	Wall Mount Cabinets



Vertical Cable Organizers



Ordering Information

HCS P/N	Description	Suitable Cabinet Type	Mounting Area	Additional Items Included	Notes
C00-08A01	32U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A02	36U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A03	39U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A04	42U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A05	44U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A06	45U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08A07	47U Vertical cable organizer	Width ≥ 800 mm	Front or rear; left and right	With closing cover	-
C00-08B01	16U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B02	20U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B03	22U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B04	26U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B05	32U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B06	36U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B07	39U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B08	42U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B09	44U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B10	45U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08B11	47U Vertical cable organizer	Depth ≥ 800 mm	Rear & side	-	-
C00-08C01	32U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C02	36U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C03	39U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C04	42U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C05	44U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C06	45U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08C07	47U Vertical cable organizer	Width & Depth ≥ 800 mm	side	-	-
C00-08D01	32U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D02	36U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D03	39U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D04	42U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D05	44U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D06	45U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08D07	47U Vertical cable organizer	Width & Depth ≥ 800 mm	side	With Railed Closing Cover	-
C00-08E01	Cabinet top entry connection module (300x65 mm)	-	Top chassis	With closing cover	-
C00-08E02	Cabinet top entry connection module (300x65 mm)	-	Top chassis	Telescopic & With closing cover	-

## Horizontal Cable Organizer




### Ordering Information

HCS P/N	Description	Hook & Ring (pcs)	Colour	Hook & Ring Size (mm)	Notes
C00-09A01	Cable Organizer, 1U, Plastic Hook	5	Black RAL 9005	44*88	-
C00-09A02	Cable Organizer, 1U, Metal Hook	5	Black RAL 9005	44*88	-
C00-09A17	Cable Organizer, 1U, Metal Hook,Solid Panel	5	Black RAL 9005	44*88	-
C00-09A09	Cable Organizer, 1U, Metal Hook	5	Black RAL 9005	44*44	-
C00-09A18	Cable Organizer, 1U, Metal Hook,Solid Panel	5	Black RAL 9005	44*44	-
C00-09A13	Cable Organizer, 1U, Metal Hook, Brushed	5	Black RAL 9005	44*88	-
C00-09A07	Cable Organizer Tray, 1U, Brushed,No Hook	-	Black RAL 9005	-	-
C00-09A03	Cable Organizer, 2U, Metal Hook	5	Black RAL 9005	88*88	-
C00-09A10	Cable Organizer, 2U, Metal Hook	10	Black RAL 9005	44*88	-
C00-09A06	Cable Organizer Tray, ½U, With Brush And Clamping, No Hook	-	Black RAL 9005	-	-
C00-09A12	Cable Organizer Tray, 1U, With Brush And Clamping, No Hook	-	Black RAL 9005	-	-
C00-09B01	1U D=400Mm Depth Cable Organizer	-	Black RAL 9005	-	-
C00-09B02	1U D=600Mm Depth Cable Organizer	-	Black RAL 9005	-	-
C00-09B03	1U D=800Mm Depth Cable Organizer	-	Black RAL 9005	-	-
C00-09B04	1U D=1000Mm Depth Cable Organizer	-	Black RAL 9005	-	-
C00-09C01	Ring, 1U (44X44mm), Metal Hook	1	Black RAL 9005	44*44	-
C00-09C02	Ring, 1U (44X88mm), Metal Hook	1	Black RAL 9005	44*88	-
C00-09C03	Ring, 2U (88X88mm), Metal Hook	1	Black RAL 9005	88*88	-




## 19" Blank Panels and Cable Entry Accessories



## Ordering Information

HCS P/N	Description	Material	Color	Additional Items Included	Notes
C00-10A01	1U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10A02	2U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10A03	3U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10A04	4U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10A05	5U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10A06	6U 19" Blank Panel	Steel Sheet	Black RAL 9005	-	-
C00-10B01	1U 19" Blank Panel, vented	Steel Sheet	Black RAL 9005	-	-
C00-10B02	2U 19" Blank Panel, vented	Steel Sheet	Black RAL 9005	-	-
C00-10B03	3U 19" Blank Panel, vented	Steel Sheet	Black RAL 9005	-	-
C00-10C01	Cable entry hole cover, metal, for wall mount cabinets	Steel Sheet	Grey RAL 7035	-	-
C00-10C02	Cable entry hole cover, metal, adjustable, for wall mount cabinets	Steel Sheet	Grey RAL 7035	-	-
C00-10C03	Cable entry hole cover, brush type, for wall mount cabinets	-	Black RAL 9005	-	-
C00-10D01	Cable entry hole cover, metal, for free standing cabinets	Steel Sheet	Black RAL 9005	-	-
C00-10D02	Cable entry hole cover, perforated metal, for free standing cabinets	Steel Sheet	Black RAL 9005	-	-
C00-10D03	Cable entry hole cover, brush type, for free standing cabinets, 100x320 mm	-	Black RAL 9005	-	-
C00-10D04	Cable entry hole cover, brush type, for free standing cabinets, 320x320 mm	-	Black RAL 9005	-	-
C00-10D05	Brush for cable entry hole cover, for free standing cabinets, 100X320 mm	-	Black RAL 9005	-	-

## Grounding Kits



### Ordering Information

HCS P/N	Description	Qty	Additional Items Included	Notes
C00-06A01	Grounding kit for wall mounting cabinets.	1 Set	-	-
C00-06A02	Grounding kit for free standing cabinets.	1 Set	-	-
C00-06A03	Grounding kit for server cabinets.	1 Set	-	-
C00-06B01	19" Earthing Leads And Potential Equalisation Bar,	1 Set	2x15mm <sup>2</sup> , L=450mm, In=10kA	-
C00-06B02	19" Earthing Leads And Potential Equalisation Bar,	1 Set	3x20mm <sup>2</sup> , L=1000mm, In=20kA	VERTICALLY MOUNTED
C00-06B03	19" Earthing Leads And Potential Equalisation Bar,	1 Set	3x20mm <sup>2</sup> , L=1500mm, In=20kA	VERTICALLY MOUNTED

## Lighting Modules

### Ordering Information



HCS P/N	Description	Qty	Voltage & Power Consumption	Additional Items Included	Notes
C00-07A01	Lighting Kit, manuel, with on/off switch	1	220Vac, 35W	-	-
C00-07B01	Lighting Kit, automatic, with on/off switch	1	220Vac, 35W	Door switch	-

## Plinths

### Ordering Information

HCS P/N	Description	Suitable Cabinet Size	Additional Items Included	Notes
C00-11A01	Plinth, 100 mm	600x600 mm	-	-
C00-11A02	Plinth, 100 mm	600x800 mm	-	-
C00-11A03	Plinth, 100 mm	800x800 mm	-	-
C00-11A04	Plinth, 100 mm	600x1000 mm	-	-
C00-11A05	Plinth, 100 mm	800x1000 mm	-	-

## Cabinet Baying Kit and Floor Fixing Accessories



## Ordering Information

HCS P/N	Description	Quantity	Additional Items Included	Notes
C00-12A01	Cabinet baying kit, galvanized	6 pcs	-	-
C00-12A02	Cabinet L-form bottom chasis floor fixing kit, M8.	4 pcs	-	-
C00-12B01	Cabinet top chasis - U form ceiling fixing kit, galvanized, width = 600 mm cabinets	1 pcs	-	-
C00-12B02	Cabinet top chasis - U form ceiling fixing kit, galvanized, width = 800 mm cabinets	1 pcs	-	-
C00-12C01	Cabinet bottom chasis - Z form floor earthquake set, width = 600 mm cabinets	2 pcs	-	-
C00-12C02	Cabinet bottom chasis - Z form floor earthquake set, width = 800 mm cabinets	2 pcs	-	-
C00-12C03	Cabinet bottom chasis - Z form floor earthquake set, width = 1000 mm cabinets	2 pcs	-	-
C00-12D01	Cabinet bottom chasis raised floor fixing kit, width = 600 mm cabinets	2 pcs	-	-
C00-12D02	Cabinet bottom chasis raised floor fixing kit, width = 800 mm cabinets	2 pcs	-	-
C00-12D03	Cabinet bottom chasis raised floor fixing kit, width = 1000 mm cabinets	2 pcs	-	-